WHAT IS CLAIMED IS:

1.(original) A method of thermal conditioning of a biological cell, comprising: culturing the cell in a culture medium at a culturing temperature T_{M} : and then conditioning the cell at a conditioning temperature T_{K} for a conditioning time t_{h} ; wherein the "thermal equivalent" (WE), expressed by the formula

WE =
$$t_h \cdot (T_K - T_M)$$
,

is in the range 70-300 °K • sec.

2.(currently amended) A method according to claim 1, wherein the conditioning temperature T_K is 65-105 °C₇₋preferably-80-95-°C.

3.(original) A method according to claim 1, wherein the conditioning temperature T_K is always below the boiling point of the culture medium.

4.(currently amended) A method according to claim 1, wherein the conditioning time t_h is 0.5-600 sec, preferably 1-180-sec.

5.(currently amended) A method according to ene-of-the-preceding-claims claim 1, wherein the culturing temperature T_M is 26-42 °C, preferably 30-38 °C.

6.(currently amended) A method according to one-of-the-preceding-claimsclaim 1, wherein WE is 90-150 °K+ sec.

7.(currently amended) A method according to one of the preceding claims claim 1, wherein the biological cell is a gram-negative prokaryote-such as E. coli; or a eukaryote-such as S. cerevisiae, and WE is 110 ± 20 K.

8.(currently amended) A method according to one of the preceding-claimsclaim 1, wherein the biological cell is a gram-positive prokaryote, such-as-B.-subtilis, and the WE is 130 \pm 20 K.

9.(currently amended) A method according to ene of the preceding claimsclaim 1, wherein the culture medium is a liquid, which liquid medium containing the biological cell is flowed into a capillary for conditioning and,

wherein the conditioning occurs while the cell is disposed in a temperature-controlled segment of the capillary at the conditioning temperature, $T_{\mathbf{K}}$, for the conditioning time, $t_{\mathbf{k}}$.

- 10.(currently amended) A method according to claim 9, wherein the volumetric flow in the temperature-controlled segment of the capillary is 0.5-12 mL/sec, preferably 2.5-8.0 mL/sec.
- 11. (currently amended) A method according to one of the preceding claims claim 1, wherein the culturing takes places in a culturing vessel, in-particular a bioreacter, and the thermal conditioning takes place in a receiving vessel, in particular a sample collection vessel, into which the culture medium containing the biological cell has been transferred.
- 12. (currently amended) A method of recovering a component material from a biological cell, comprising the following steps:
 - (a) culturing the cell in a culture medium;
- (b) thermally conditioning the cell according to the method of one of claims 1-41claim 1, whereby the component material is liberated from the thermally conditioned cell; and
 - (c) isolating the liberated component material from the culture medium.
- 13. (currently amended) A method of quantitative determination of a component material in a biological cell, comprising the following steps:
 - (a) culturing the cell in a culture medium;
- (b) thermally conditioning the cell according to the method of ene of claims 1-11claim 1, whereby the component material is liberated from the thermally conditioned cell; and
 - (c) quantitatively determining the liberated component material in the culture medium.
- 14. (currently amended) A method of qualitative detection of a component material in a biological cell, comprising the following steps:
 - (a) culturing the cell in a culture medium;
- (b) thermally conditioning the cell according to the method of one of claims 1-41claim 1, whereby the component material is liberated from the thermally conditioned cell;

- (c) qualitatively detecting the liberated component material in the culture medium.
- 15. (currently amended) A method according to one of the preceding-claims claim 1, wherein the component material is an intracellular metabolite, selected from the group consisting of amino acids and their derivatives, amines and their derivatives, carboxylic acids, alcohols, aldehydes, ketones, phosphate esters other than nucleic acids, nucleic acids and congeners, sugars and congeners, lipids, steroids, fatty acids, vitamins, coenzymes, and inorganic ions.
- 16.(currently amended) An apparatus for conditioning of cells, comprising:
- a sample-transferring segment-(5),
- a sample-collecting device-(6), and

1550 cm, preferably 90-420 cm.

and

- at least one capillary (3)-which is disposed adjacent to a heat source (4), through which capillary a liquid culture medium is flowed, wherein the capillary has an interior diameter of 0.5-4.5 mm, preferably 1.0-3.0 mm, and the capillary remains in contact with the heat source along a temperature-controlled segment of said capillary, said segment having a length of 50-
- 17.(original) An apparatus for conditioning of cells, according to claim 16, wherein for a "thermal equivalent" of 70-300 °K• sec which is to be transferred, a length of the temperature-controlled capillary segment of about 80-1510 cm is chosen, wherein
 - (a) for a low volumetric flow rate of about 2.5 mL/sec:
 - i. at a lower conversion time ("turnover time")
 - of the metabolite of about 0.1 sec, the interior diameter of the capillary is about 0.5 mm:
 - at an upper conversion time ("turnover rate") of the metabolite of about 2.7 sec, the interior diameter of the capillary is about 2 mm;
- (b) for a high volumetric flow rate of about 8 mL/sec:
 - i. at a lower conversion time ("turnover time")
 - of the metabolite of about 0.1 sec, the interior diameter of the capillary is about 1 mm:
 - ii. at an upper conversion time ("turnover time")
 - of the metabolite of about 2.7 sec, the interior diameter of the capillary is about 4 mm

- 18.(currently amended) An apparatus for conditioning of cells, according to claim 16-or-17, wherein the cell conditioning apparatus is in the form of a sample-taking device for sampling from a source (4) of the liquid culture medium (2)-containing the cell(s).
- 19.(currently amended) Use of the cell conditioning apparatus according to ene of claims 16-48<u>claim 1</u>, for recovering a component material from a biological cell, using the method according to claim 12.
- 20. (currently amended) Use of the cell conditioning apparatus according to ene-of-claims-46-48<u>claim 16</u> for quantitative determination of a component material in a biological cell, using the method according to claim 13.
- 21. (currently amended) Use of the cell conditioning apparatus according to one of claims 16-18 claim 16_for qualitative detection of a component material in a biological cell, using the method according to claim 14.